Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	483	pars\$3 adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/14 10:07
S2	483	pars\$3 adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/05 14:24
S3	11	receiv\$3 adj3 (OS or operating adj system) adj operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:37
S4 ·	0	(identify or locate) (network adj device adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:43
S5	0	(identify or locate) (network adj device adj operating adj system adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:44
S6	2	(identify or locate) (operating adj system adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:45
S7	1	(identify or locate) (OS adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:47

S8	167	configur\$ monitor\$2 network	US-PGPUB;	WITH	OFF	2007/02/05 14:55
		components	USPAT; USOCR; FPRS; EPO; JPO;			
			DERWENT; IBM_TDB			
S9	10883	709/223	US-PGPUB; USPAT; USOCR;	WITH	OFF	2007/02/05 14:56
			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S10	11032	709/224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:56
S11	779	(Select\$3 or choos\$3)(Operating System or OS) component operation	US-PGPUB; USPAT; USOCR;	WITH	ON	2007/02/06 12:46
			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S12	176	(Select\$3 or choos\$3) device (Operating System or OS) component operation	US-PGPUB; USPAT; USOCR; FPRS;	WITH	ON	2007/02/06 12:46
			EPO; JPO; DERWENT; IBM_TDB			
S13	31	(Select\$3 or choos\$3) near4 device (Operating System or OS) component operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/06 16:41
S14	8	(Select\$3 or choos\$3) near component device (Operating System or OS) operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/06 15:01

S15	17	Anand Iyer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:04
S16	0	Venkat Kankipati	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:05
S17	27	Shankar Natarajan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:06
S18	25	Shankar near Natarajan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON ST	2007/02/06 15:08
S19	0	Srinivasan Nariangadu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:09
S20	39	Receiv\$3 (network adj device) XML (data or document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/07 08:32
S21		process\$3 adj3 network adj3 device adj3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/07 08:34

S22	10911	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	WITH	OFF	2007/02/07 08:34
			DERWENT; IBM_TDB		0==	2027/22/22 22 24
S23	11059	709/224	US-PGPUB; USPAT; USOCR; FPRS;	WITH	OFF	2007/02/07 08:34
	in a state of the		EPO; JPO; DERWENT; IBM_TDB			
S24	4108	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 08:34
S25	2	S24 S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	AND	ON	2007/02/07 08:34
			DERWENT; IBM_TDB	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
S26	2	"20030037128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF .	2007/02/15 10:43
S27	4	creat\$3 near3 (responsive or reply) XML adj (document or data)	US-PGPUB; USPAT; USOCR;	SAME	OFF	2007/02/12 08:35
. 1			FPRS; EPO; JPO; DERWENT; IBM_TDB		,	
S28 ⁻	10645	XML adj (document or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 08:37

	Τ		T		<u> </u>	
S29	10914	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/12 08:37
S30	11066	709/224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/12 08:37
S31	116	S29 S30 S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 09:35
S32	7	responsive adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 09:35
S33	3	"7,013,329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 07:52
S34		map\$3 near (data adj structure) data near operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:07
S35	0	map\$3 adj2 data adj "2" (data adj structure) data near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:08

S36	. 1	map\$3 adj2 data adj2 (data adj structure) data near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:09
S37	49	map\$3 adj2 data adj2 (data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:15
S38	0	map\$3 adj2 data adj2 (data adj structure) (validat\$3 adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:12
S39	1021	map\$3 adj2 data adj2 (structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:40
S40	0	map\$3 adj2 data adj2 (structure) (validate adj2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:16
S41	1	map\$3 adj2 data adj2 (structure) (validate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:17
S42	8	map\$3 adj2 data adj2 (structure) (validat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:19

S43	10966	709/223	US-PGPUB; WITH USPAT; USOCR;	OFF	2007/02/13 09:19
	•		FPRS; EPO; JPO; DERWENT;		
S44	11111	709/224	IBM_TDB US-PGPUB; WITH	OFF	2007/02/13 09:19
		· · · · · ·	USPAT; USOCR;		
			FPRS; EPO; JPO;		
			DERWENT; IBM_TDB		
S45	4136	S43 S44	US-PGPUB; AND USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:20
S46	17941	S43 S44	US-PGPUB; OR USPAT;	OFF	2007/02/14 13:31
1 1		Salar - To an account -	USOCR; FPRS;		وغد سنده بهداره از الاحداد
			EPO; JPO; DERWENT;		
S47	5578	validat\$3 adj data	IBM_TDB US-PGPUB; AND	OFF	2007/02/13 09:25
347	55/6	validat\$3 auj data	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:23
S48	203	S46 S47	US-PGPUB; AND USPAT;	OFF	2007/02/13 09:20
,			USOCR; FPRS;		
			EPO; JPO; DERWENT; IBM_TDB		
S49	507	(validat\$3 adj data) operation	US-PGPUB; SAME USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:39

S50	12	S46 S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/13 09:26
S51	0	S49 S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/13 09:39
S52	15	S49 S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 10:45
S53	23	query identify components (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	SAME	OFF	2007/02/13 13:04
			DERWENT; IBM_TDB			
S54	1	query identify adj10 components near5 (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 13:18
S55	3	query identify adj10 components (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 13:18
S56	57	"5,396,626"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON ·	2007/02/14 10:34

S57	688	query XML adj (data or document)	US-PGPUB; USPAT; USOCR;	WITH	OFF	2007/02/14 10:50
			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S58	71	identif\$4 near2 (component or object) adj5 supported	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	WITH	OFF	2007/02/14 10:58
			DERWENT; IBM_TDB			
S59	46	query identif\$4 near2 (component or object) (OS or operating system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 10:59
S60	645	query identif\$4 near2 (component or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH:	OFF	2007/02/14 11:00
S61	218	query near2 identif\$4 near2 (component or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/14 11:00
S62	28	S57 S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 11:36
S63	15	identif\$4 adj3 (object or attribute or method) supported component (operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 11:48

S64	20	identify adj3 (object or attribute or method) support\$2 component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 13:23
S65	724	(monitor\$3 or configur\$5) near3 device adj component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/14 13:31
S66	10966	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/14 13:32
S67	11111	709/224	US-PGPUB; USPAT; USOCR;	WITH	OFF	2007/02/14 13:32
-			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S68	17941	S66 S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/14 13:32
S69	37	S68 S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 14:59
S70	2	(receiv\$3 or transmit\$3) near5 (query or request) adj5 (method near2 support\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 14:23

,	.,		·			
S71	0	(Query or request) adj3 about adj3 method adj3 supported	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 15:00
S72	114	receiv\$3 adj5 (invocation or invoke) adj5 method (object or component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 15:57
S73	10	S68 S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 15:57
S74	2	"20030018764"	US-PGPUB;	SAME	OFF	2007/02/15 10:44
			USPAT; USOCR;	**************************************		
			FPRS; EPO; JPO; DERWENT; IBM_TDB		•	
S75	46	"6041325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/15 10:44
S76	3	"6970869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/15 10:44